



Central Office Bids and Awards Committee
SUPPLEMENTAL BID BULLETIN NO. 01

SUPPLY & DELIVERY OF VARIOUS ICT EQUIPMENT AND PERIPHERALS

Bidders are hereby notified of the clarifications, modifications, revisions and amendments to certain provisions of the Bid Documents particularly as published in the PhilGeps website. This shall form an integral part of the Bid Documents.

➤ **SECTION I. INVITATION TO BID**

FROM:

Lot No.	Qty	Item/ Description	Approved Budget for the Contract	Funding Source	Price of Bid Documents	Delivery Period
1	58	LAPTOP	2,899,942.00	CFIDP	5,000.00	Refer to Section VI
	2	PRINTER WITH SCANNER	30,000.00			
	1	PAPER SHREDDER (HEAVY DUTY)	80,000.00			
	2	EXTERNAL HARD DRIVE	10,000.00			
TOTAL			3,019,942.00			

TO:

Lot No.	Qty	Item/ Description	Approved Budget for the Contract	Funding Source	Price of Bid Documents	Delivery Period
1	48	LAPTOP	2,399,952.00	CFIDP	5,000.00	Refer to Section VI
	31	PRINTER WITH SCANNER	465,000.00			
	1	PAPER SHREDDER (HEAVY DUTY)	79,000.00			
	15	EXTERNAL HARD DRIVE	75,000.00			
TOTAL			3,018,952.00			

➤ **SECTION VII. TECHNICAL SPECIFICATIONS**

FROM				TO			
A. TECHNICAL SPECIFICATIONS				A. TECHNICAL SPECIFICATIONS			
ITEM	SPECIFICATION/S	QUANTITY		ITEM	SPECIFICATION/S	QUANTITY	
LAPTOP	☐ Processor: Intel® Core™ i5-12500H or equivalent	58		LAPTOP	☐ Processor: Intel® Core™ i5-12500H or equivalent	48	
	☐ Display: 15.6" FHD (1920 x 1080) OLED				☐ Display: 15.6" FHD (1920 x 1080) OLED		
	☐ Memory: 16GB DDR4 on board				☐ Memory: 16GB DDR4 on board		
	☐ Storage: 512GB M.2 NVMe™ PCIe® 3.0 SSD				☐ Storage: 512GB M.2 NVMe™ PCIe® 3.0 SSD		

	GPU: Intel Iris Xe Graphics or equivalent				GPU: Intel Iris Xe Graphics or equivalent			
	OS: Windows 11 Home				OS: Latest OS			
	I/O Ports				I/O Ports			
	1x USB 2.0 Type-A				1x USB 2.0 Type-A			
	1x USB 3.2 Gen 1 Type-A				1x USB 3.2 Gen 1 Type-A			
	2x Thunderbolt™ 4 supports display/power delivery				2x Thunderbolt™ 4 supports display/power delivery			
	1x HDMI 2.1 TMDS				1x HDMI 2.1 TMDS			
	1x 3.5mm Combo Audio Jack				1x 3.5mm Combo Audio Jack			
	Keyboard & Touchpad: Backlit Chiclet Keyboard with Num-key, 1.4mm Key-travel, Precision Touchpad				Keyboard & Touchpad: Backlit Chiclet Keyboard with Num-key, 1.4mm Key-travel, Precision Touchpad			
	Camera: 720p HD camera, With privacy shutter				Camera: 720p HD camera, With privacy shutter			
	Audio				Audio			
	Smart Amp Technology				Smart Amp Technology			
	Built-in speaker				Built-in speaker			
	Built-in array microphone				Built-in array microphone			
	Harman/Kardon (Mainstream), with Cortana voice-recognition support				Harman/Kardon (Mainstream), with Cortana voice-recognition support			
	Network and Communication: Wi-Fi 6 (802.11ax) (Dual band) 2*2 + Bluetooth® 5.3 Wireless Card				Network and Communication: Wi-Fi 6 (802.11ax) (Dual band) 2*2 + Bluetooth® 5.3 Wireless Card			
	Battery: 70 WHrs, 3S1P, 3-cell Li-ion				Battery: 70 WHrs, 3S1P, 3-cell Li-ion			
	Power Supply: TYPE-C, 90W AC Adapter, Output 20V DC, 4.5A, 90W, Input: 100~240V AC 50/60Hz universal				Power Supply: TYPE-C, 90W AC Adapter, Output 20V DC, 4.5A, 90W, Input: 100~240V AC 50/60Hz universal			


	Weight: 1.80 kg (3.97 lbs)			Weight: 1.80 kg (3.97 lbs)		
	Dimensions (W x D x H): 35.98 x 23.29 x 1.89 ~ 1.89 cm (14.17" x 9.17" x 0.74" ~ 0.74')			Dimensions (W x D x H): 35.98 x 23.29 x 1.89 ~ 1.89 cm (14.17" x 9.17" x 0.74" ~ 0.74')		
ITEM	SPECIFICATION/S	QUANTITY	ITEM	SPECIFICATION/S	QUANTITY	
PRINTER WITH SCANNER	Print	2	PRINTER WITH SCANNER	<ul style="list-style-type: none"> Tank Type Printer FUNCTIONS: Print, copy, scan, fax, ADF, wireless PRINT SPEED BLACK: ISO: Up to 11 ppm
Draft: Up to 22 ppm PRINT SPEED BLACK (ISO, A4): Up to 11 ppm PRINT SPEED COLOR: Normal: Up to 5 ppm [5] FIRST PAGE OUT (READY): Black: As fast as 14 sec DUTY CYCLE (MONTHLY, A4): Up to 1000 pages RECOMMENDED MONTHLY PAGE VOLUME: 400 to 800 PRINT TECHNOLOGY: HP Thermal Inkjet PRINT QUALITY BLACK (BEST): Black: Up to 1200 x 1200 rendered dpi Color: Up to 4800 x 1200 optimized dpi color (when printing from a computer and 1200 input dpi) PROCESSOR SPEED: 1.2 GHz NUMBER OF PRINT CARTRIDGES: 4 (1 each black bottle, set of 3 color bottles) WIRELESS CAPABILITY: Yes, built-in dual band Wi-Fi 802.11b/g/n, Wireless direct, BLE 	31	
	Number of Nozzles: Total 1,472 nozzles					
	Ink Bottles (Type/Colors): Pigment Ink/Black, Dye-Based Ink/Cyan, Magenta, Yellow)					
	Maximum Print Resolution: 4,800 (horizontal) x 1,200 (vertical) dpi					
	Print Speed (Approx): Document (ESAT/Simplex) – 8.8/5 ipm (mono/color), Document (FPOT Ready/Simplex) – 11/17 sec (mono/color), Photo (4 x 6) (PP-201/Borderless) – 60 sec					
	Print Width: Bordered – Up to 203.2mm (8"), Borderless – Up to 216mm (8.5")					
	Recommended Printing Area: Top margin – 31.2mm, Bottom margin – 32.5mm					
	Scan					
	Scanner Type: Flatbed (ADF/Platen)					
	Scanner Technology: Contact Image Sensor (CIS)					

	Optical Resolution: 600 x 1,200 dpi		<ul style="list-style-type: none"> • CONNECTIVITY, STANDARD: Hi-Speed USB 2.0, WiFi, Bluetooth LE • SCANNER TYPE: Flatbed, ADF (optional) • SCAN FILE FORMAT: JPEG, TIFF, PDF, BMP, PNG • SCAN RESOLUTION, OPTICAL: Up to 1200 dpi • BIT DEPTH: 24-bit • SCAN SIZE, MAXIMUM: 216 x 297 mm • AUTOMATIC DOCUMENT FEEDER CAPACITY: Standard, Up to 35 sheets • FILE FORMAT SUPPORTED: BMP; PDF; JPG; PNG; TIF • COPY RESOLUTION: Up to 600 dpi • COPIES, MAXIMUM: Up to 99 copies • FAXING: Yes, color • FAX TRANSMISSION SPEED: 33.6 kbps Based on standard ITU-T test image #1 at standard resolution.
	Scanning Bit Depth (Input/Output): Greyscale – 16 bit / 8 bit, Color – 48 bit / 24 bit (RGB each 16 bit / 8 bit)		
	Maximum Document Size: Flatbed – A4, LTR; ADF – A4, LTR, Legal		
	Copy		
	Copy Speed (Approx): Document (Color) – 24 sec / 3.5 ipm, Document (ADF) – 8 / 2.5 ipm		
	Maximum Copies: 99 pages		
	Maximum Document Size: Flatbed – A4, LTR; ADF – A4, LTR, LGL		
	Fax		
	Type: Desktop Transceiver (Super G3/Color Communication)		
	Transmission: Mono – 3 sec, Color – 1 min		
	Modem Speed: Max 33.6 kbps (Automatic fall back)		
	Compression: Mono – MH, MR, MMR; Color – JPEG		
	Gradation: Mono – 256 levels, Color – 24-bit Full Color (RGB each 8-bit)		
	ECM (Error Correction Mode): ITU-T T.30 compatible		
	Automatic Dialing: Group Dialing – Max 19 locations		
	Transmission/Reception Memory: Approx 50		

	pages		
	<i>Paper Handling</i>		
	<p>Print Margin: Borderless Printing – Top/Bottom/Left/Right 0mm, Bordered Printing – LTR, LGL 3mm (top), 5mm (bottom), 6.4mm (left), 6.3 (right); Others – 3mm (top), 5mm (bottom), 3.4mm (left/right)</p>		
	<p>Supported Media (Rear Tray): Plain Paper (64-105 g/m²), High Resolution Paper (HR- 101N), Photo Paper Plus Glossy II (PP-201, PP-208), Photo Paper Pro Luster (LU-101), Photo Paper Plus Semi-Gloss (SG-201), Matte Photo Paper (MP- 101), Envelope</p>		
	<p>Paper Size: Rear Tray – A4, A5, B5, LTR, LGL, Envelope, 4x6", 5x7", 8x10", Square (127x127mm), Business Card; Borderless Printing – A4, LTR, 4x6", 5x7", 8x10", Square (127x127mm), Business Card</p>		
	<p>Maximum Capacity: Rear Tray – Plain Paper 100; High Resolution Paper 80, Photo Paper Plus Glossy II 20, Photo Paper Plus Semi-Gloss 10, Matte Photo Paper 20, Envelope 10; ADF – Plain Paper (A4, LTR) 20, Plain Paper (LGL) 5</p>		
	<p>Paper Weight (Rear Tray): Plain Paper – 64- 105 g/m²</p>		
	<i>Network</i>		
	<p>Protocol: TCP/IP</p>		
	<p>Wireless LAN: 2.4</p>		

	GHz, Supported Channels 1-13, WEP 64/128 bit	
	☐ Direct Connection (Wireless LAN): Available (AP Mode only)	
	<i>System Requirements</i>	
	☐ OS System Compatibility: Windows 10 / 8.1 / 7 SP1, macOS 10.12 or later, Chrome OS	
	<i>General Specifications</i>	
	☐ Operation Panel (Display): 2-Line LCD	
	☐ Interface: USB 2.0	
	☐ Operating Environment: Temperature – 5-35°C, Humidity – 10-90% RH	
	☐ Recommended Environment: Temperature – 15-30°C, Humidity – 10-80% RH	
	☐ Storage Environment: Temperature – 0-40°C, Humidity – 5-95% RH	
	☐ Quiet Mode: Available	
	☐ Acoustic Noise: Plain Paper – 53.5 dB(A)	
	☐ Power Requirements: AC 100 – 240 V, 50/60 Hz	
	☐ Power Consumption (Approx): OFF – 0.2W, Standby – 0.9W, Operation – 10W	
	☐ Dimensions (WxDxH): Factory Configuration – 445 x 330 x 197 mm, Output/ADF Trays Extended – 445 x 526 x 249mm	
	☐ Weight: 7.3 kg	
	<i>Paper Yield</i>	
	☐ Plain Paper (A4 Color Documents): GI-790	

	PGBK – 6,000; GI-790 C, M, Y – 7,000				
	☐ Photo Paper (4x6 photos): GI-790 C, M, Y – 2,000				
ITEM		QUANTITY	ITEM		QUANTITY
EXTERNAL HARD DRIVE		2	EXTERNAL HARD DRIVE		15


MARK ROY Q. MACANLALAY
 Chairman, Bids and Awards Committee
 PCA Central Office